

Response  
Applicant: Jennifer L. Pavlovic  
Serial No.: 10/056,588

Attorney Docket: EV31015US

### REMARKS

The Examiner made two election of species requirements. The first election of species requirement requires Applicant to elect an embodiment of the medical device having: (1) irregularly shaped pores (Figs. 5a and 5d), (2) diamond shaped pores (Fig. 5b), or (3) square shaped pores (Fig. 5c). In response to the first election of species requirement, Applicant elects species 1, irregularly shaped pores.

The second election of species requirement requires Applicant to elect an embodiment of the medical device having: (A) a non-metallic frame or (B) a metallic frame. In response to the second election of species requirement, Applicant elects species B, a metallic frame.

Claims 1 to 3, 5 to 13, 15, 17 to 23, and 27 to 31 read on the elected species (1, B) of irregularly shaped pores and a metallic frame.

If any fee is due in connection with the filing of this paper, please charge the fee to our Deposit Account No. 16-2312. If a fee is required for an extension of time under 37 C.F.R. § 1.136 not accounted for above, such an extension is requested and the fee should also be charged to our deposit account.

Date: January 14, 2004

Respectfully submitted,

By: 

Customer No. 009561

Terry L. Wiles (29,989)

Patrick J. O'Connell (33,984)

POPOVICH, WILES &amp;

O'CONNELL, P.A.

650 Third Avenue South, Suite 600

Minneapolis, MN 55402

Telephone: (612) 334-8989

Attorneys for Applicant